

SMART 3- PHASE GSM MOBILE STARTER ANDROID SMS APP-PRO USER MANUAL





LINK FOR OUR PRODUCT DETAILS:

<https://qbitronics.com/detailsgsmvpro.html>



FROM EB INPUT 415V



MCB

**R Y B
415V
INPUT**



**GROUND
EARTH**


**SURGE
PROTECTOR**

**SUPPORT:
DOL/START DELTA/OIL BUTTON
STARTERS**



**DRYRUN
R Y B R Y B ON/OFF**

**RYB FROM MCB
INPUT**



**REMOVE BLACK
WIRE FROM ON AND
OFF LOOP TO CONTACTOR
COIL**



IOT

CT COIL


R Y B

MOTOR





Star Delta Panel ON & OFF Button Connection





Description of the control unit:

You can switch ON /OFF the starter motor in **GSM signal strength** from any where with strong Signal needed.
It will support all type of Motor Starters –DOL / Star Delta/Oil :Button based Starters with Load less than 30Amp.

Feature of this system:

- Made in India : New Qbitronics
- Updated technology
- Easy installation
- Save Electricity
- SMS enabled
- **Multi device can use in Single App**

Feature of this Device:

- 1.MANUAL ON/OFF**
- 2.APP ON/OFF**
- 3.DRY RUN**
- 4. 3-PHASE VOLT DISPLAY**
- 5.3-PHASE CURRENT(LOAD) SENSING**
- 6.PHASE REVERSE**
- 7.LOW VOLT**
- 8.HIGH VOLT**
- 9.OVERLOAD**
- 10.DEVICE POWER**
- 11.2 PHASE/3 PHASE**
- 12.AUTO STARTER**
- 13.1-CYCLIC TIMER**
- 14.POWER PREVENTOR**
- 15. SURGE PROTECTOR-EXTERNAL ONLY**



This product will work with GSM SMS/ Operating Voltage 415V AC 50HZ
We can operate by the system by Android mobile App or manual. It will support all types motors. We can read the status of Motor ON/ OFF. Support Three phase Starters Motors

- **This System is very useful for all 3 PHASE MOTOR Home/Office and Agriculture-Pump Motor- ON/OFF,**
- **industries Machines-ON/OFF.**
- **The Software Systems we can includes multiple Devices in single App.**
- **This device will sense the status of Device power by App**

SPECIFICATION

Working Voltage 3-phase- 300-415V AC-Each Line

Working Frequency 2.4GHZ

Working Temperature -30°C~70°C

Max Load 30A Relay, Resistive Load≤25A, Inductive Load≤20A

Operating Distance GSM SIGNAL STRENGTH

Function ON/OFF/DRYRUN/OVERLOAD/HIGH VOLT/LOW VOLT/3 PHASE VOLTAGE STATUS/3 PHASE SENSING AUTO CUT OFF

Size 60x40x30mm

Working Voltage 3 PHASE R/Y/B-415V

Mobile OS : Android

Single App Support: Multi Devices



Demo installation Video Page: <https://qbitronics.com/detailsgsmvpro.html>

Demo Video English <https://youtu.be/i2ZDPAUxQWY>

Android App PRO Page: <https://youtu.be/xgt3pz6Rt9o>

Installation PRO : https://youtu.be/N8-J_sBKb1w

Please check this Policy: <https://qbitronics.com/policy.html>

SPECIFICATIONS FOR THIS PRODUCT:

Name	Smart Three Phase Gsm Mobile Starter PRO
APP OS	Android
Item Weight	900 grams
Material Type	PCB
Item model number	QBIT3PHGSMMOTPRO
Time Max:	24 HRS/ Enabled
Input Volt	300-415V Ac/50/60Hz
Working Frequency	2.4Ghz
Max Load	30A Relay
Function	ON/OFF/DRYRUN/OVERLOAD/HIGH VOLT/LOW VOLT/PHASE SENSING/2 OR 3 PHASE VOLTAGE/AUTO STARTER
Control Unit Power	415 V AC
WIFI Frequency	2.4GHZ
APPLICATION	3 phase Water Pump set motor / 3 phase Machines- ON/OFF



INDUSTRIAL AUTOMATION

**#1156, Behind Sungam Sindamani Bus Stop, Trichy
Main Road,
Ramanathapuram (Po),
Coimbatore-641045.,
Tamil Nadu, India.**

WhatsApp No: +91 9629659111

**Office: +91-9629659111,
+91-4223593306**

**E-mail: inquire@qbitronics.com,
qbitinquire@gmail.com, www.qbitronics.com.**